

## **BUILT TO WORK. BUILT TO LAST.**

CM Truck Beds offers the industry's most rugged, durable and best-looking truck beds and service bodies. We're proud to be the product of choice for commercial fleets and work truck users. Whether you're looking for a steel flat bed, a specialty bed, a heavy-duty aluminum bed or a versatile service body, CM Truck Beds has a product to meet your needs and exceed your expectations. Our diverse lineup will fit almost any cab and chassis or take-off body unit.

# MOST OF OUR TRUCK BEDS AND SERVICE BODIES INCLUDE:

- Best-In-Class Rated B&W Trailer Hitches
- Premium TexArmor Powdercoat Finish (Steel Models)
- T-Handle Compression Toolbox Latches
- 3/8" Rubrail & Stake Pockets on many models
- Optronics LED Lighting with Lifetime Warranty
- Plug & Play Modular Sealed Wiring Harness
- 1/8" Steel Treadplate Decking
- 3" Steel Crossmembers
- Service Bodies Feature Convertible-Style Configuration
  - Easier to Customize, Maintain and Repair

With the best on-hand inventory, exceptional lead times and industry-leading quality, count on CM Truck Beds as the platform for your success, now and long into the future.



## THE DIFFERENCE IS CLEAR

OUR ENGINEERS WORK HARD TO ADAPT TO THE EVER-CHANGING STYLES OF OEM CHASSIS MANUFACTURERS. SO YOU'RE NOT JUST GETTING DURABILITY, BUT ALSO OPTIMUM USABILITY. QUITE SIMPLY, WE'RE COMMITTED TO PROVIDING A LEVEL OF QUALITY YOU CAN FEEL GREAT ABOUT, AT A VALUE THAT'S UNSURPASSED.

## **BEST-IN-CLASS RATED B&W HITCHES**

While some manufacturers install hitches that are untested and carry rating loads untested, CM Truck Beds come standard with B&W hitches that are proven to withstand the heavy loads our beds tow. Each attachment point comes with quality electrical connections, ensuring that you tow with safety first.



## **EXTRUDED ALUMINUM** FLOORS (ALUMINUM MODELS)

How's this for tough: Our extruded aluminum floors have a weight rating of 600 pounds per square foot. Some say aluminum is weaker; we say they're just doing it wrong. (Not standard on AL ER Models.)



When safety counts, count on CM Truck Beds. We utilize the safest, easiest-to-maintain lights on the market. LED lights are brighter, light up instantaneously, make for easier maintenance, and come with a standard lifetime warranty from Optronics.





## **SINGLE-PIECE SQUARE TUBE HEADACHE RACKS**

Clearly the toughest, heaviest square tube headache racks in the business. You won't see breaks, cuts or pieced-together parts in our racks; built from a single piece, they're indestructible. When the unexpected occurs, count on our headache racks to keep you safe.




When you care about your tools, CM Truck Beds' recessed toolbox doors are the only solution that ensures maximized cargo protection. Our doors recess into the box, creating a seal while our T-Handle compression latches pull the door into the box when closed.





#### **3-PIECE PLUG & PLAY MODULAR SEALED WIRING HARNESS**

We understand that our beds are exposed to harsh conditions that oftentimes cause wiring to corrode, pull apart or deteriorate. CM Truck Beds wiring harnesses are designed for durability in even the most challenging conditions.



2	LENGTHS
	HEADACHE RACK
<u> </u>	HEADACHE RACK LIGHTING
_	DECK
UKES AND	FRAME RAILS
2	CROSSMEMBERS
\\	REAR SKIRT
	GN HITCH
FFA	BP HITCH
	SIDE RAILS

84", 8'6", 9'4", 11'4"
Steel Tube
Clear LED Oval
1/8" Treadplate
4" Structural Channel Steel
3" Roll-Formed 3/16" Channel Crossmembers
Solid One Piece with Tapered Corners
30K lb. B&W Hitch with Welded Ball
24K lb. 2 ½" B&W Hitch with Receiver Tube
Integrated Side Rails with Internal Stake Pockets

FUEL FILL	Angled
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Optional Underbody
TOOLBOX HANDLE	N/A
FENDERS	N/A
SIDESTEPS	N/A
TIE DOWNS	N/A

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability);
Cargo Light; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Rumber or Blackwood Flooring; Underbody Toolbox





	STEEL	ALUMINUM
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval	Clear LED Oval
DECK	1/8" Treadplate	Extruded Aluminum Floor
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers
REAR SKIRT	Solid One Piece with Tapered Corners	Solid One Piece with Tapered Corners
GN HITCH	30K lb. B&W Hitch with Welded Ball	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets
FUEL FILL	Angled	Angled (Cast Aluminum)
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel	Aluminum
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	Optional Underbody	Optional Underbody
TOOLBOX HANDLE	N/A	N/A
FENDERS	N/A	N/A
SIDESTEPS	N/A	N/A
TIE DOWNS	N/A	N/A



NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Wood, Rumber or Blackwood Flooring;
Underbody Toolbox; Aluminum Underbody Toolboxes (AL RD model)





FEATURES AND OPTIONS	LENGTHS	84", 8'6", 9'4", 11'4"
	HEADACHE RACK	Steel Tube
딜	HEADACHE RACK LIGHTING	Clear LED Oval
	DECK	1/8" Treadplate
Z	FRAME RAILS	4" Structural Channel Steel
S	CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers
뿔	REAR SKIRT	Solid One Piece with Tapered Corners
	GN HITCH	30K lb. B&W Hitch with Welded Ball
Ę	BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube
	SIDE RAILS	Integrated Side Rails with Internal Stake Pockets
	FUEL FILL	Angled
	12 V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
	REAR LIGHTING	Clear LED Oval
	LIGHT BOX (REAR SKIRT)	Steel
	MARKER LIGHTING	Bullet DOT Approved
	TOOLBOX	(4) Standard Integrated Toolboxes
	TOOLBOX HANDLE	Chrome T-Handle Compression
	FENDERS	Steel Radius
	SIDESTEPS	In Front of and Behind Fender

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; Steel SK Deluxe can have Flush Mount 3DK B&W Hitch with Turnover Ball (required for 5th Wheel capability); Color Primer Only (SK model); Dovetail Deck; Bale Spikes; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Rear Rubrail; Stainless Fenders (SK model); Wood, Rumber or Blackwood Flooring





LENGTHS	84", 8'6", 9'4", 11'4"	
HEADACHE RACK	Aluminum Tube	
HEADACHE RACK LIGHTING	Clear LED Oval	
DECK	Extruded Aluminum Floor	
FRAME RAILS	4" Structural Channel Steel	
CROSSMEMBERS	3" Roll-Formed 3/16" Crossmembers	
REAR SKIRT	Solid One Piece with Rear Step	
GN HITCH	30K lb. B&W Hitch with Welded Ball	
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube	
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	

FUEL FILL 12V TRAILER PLUG REAR LIGHTING LIGHT BOX (REAR SKIRT) MARKER LIGHTING TOOLBOX TOOLBOX HANDLE FENDERS SIDESTEPS TIE DOWNS

Angled (Cast Aluminum) Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear Clear LED Oval Aluminum Bullet DOT Approved LED (4) Standard Integrated Toolboxes Chrome T-Handle Compression Aluminum Radius Aluminum Steps in Front of and Behind Fender N/A

**NOTABLE OPTIONS INCLUDE:** 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Work Lights (pictured)



LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Treadplate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers
REAR SKIRT	Solid One Piece with Tapered Corners
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube
SIDE RAILS	Integrated Side Rails with Internal Stake Pockets
FUEL FILL	Angled
12 V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved
TOOLBOX	(2) Front Utility Toolboxes; (2) Integrated Rear Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Steel Radius
SIDESTEPS	In Front of and Behind Fender

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Steel Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes (ER model); Cargo Lights; CTech or American Eagle Drawers in Front Toolboxes; Color Primer Only







LENGTHS	84", 8'6", 9'4", 11'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Aluminum Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	Extruded Aluminum Floor	LIGHT BOX (REAR SKIRT)	Aluminum
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Roll-Formed 3/16" Crossmembers	TOOLBOX	(2) Front Utility Toolboxes; (2) Standard Integrated Toolboxes
REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Chrome T-Handle Compression
GN HITCH	30K lb. B&W Hitch with Welded Ball	FENDERS	Aluminum Radius
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube	SIDESTEPS	Aluminum Steps in Front of and Behind Fender
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	TIE DOWNS	N/A

NOTABLE OPTIONS INCLUDE: 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); CTech or American Eagle Drawers in Front Toolboxes; Cargo Lights



$\boldsymbol{\mathcal{C}}$	
=	
=	
$\equiv$	
_	
V	
SAN	
<b>∇</b>	
<b>∇</b>	
<b>∇</b>	
<b>∇</b>	
TURES A	
<b>∇</b>	
TURES A	

	STEEL	ALUMINUM
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval w/Chrome Housing	Clear LED Oval w/Chrome Housing
DECK	1/8" Treadplate	1/8" Aluminum Treadplate
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers
REAR SKIRT	Solid One Piece with Rear Step	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball in Trough	30K lb. B&W Hitch with Welded Ball in Trough
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube
SIDE RAILS	Raised Side Rail with Aluminum Cap	Raised Side Rail with Aluminum Cap
FUEL FILL	Angled (Cast Aluminum)	Angled (Cast Aluminum)
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval with Chrome Housing	Clear LED Oval with Chrome Housing
LIGHT BOX (REAR SKIRT)	Cast Aluminum	Cast Aluminum
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	(4) Standard Integrated	(4) Standard Integrated
TOOLBOX HANDLE	Chrome T-Handle Compression	Chrome T-Handle Compression
FENDERS	Chrome Radius	Chrome Radius
SIDESTEPS	In Front of and Behind Fender	Aluminum Steps In Front of and Behind Fender
TIE DOWNS	(4) 18" Airline Track Tiedowns (4) Attachment Ring	(4) 18" Airline Track Tiedowns (4) Attachment Ring





NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes (ER model); Cargo Lights; Color Primer Only (ER model)



LENGTHS	8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Treadplate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" x 3/16" Channel
REAR SKIRT	Solid One Piece Between Runners
GN HITCH	30K lb-rated CURT Rail System Compatible with GN or 5th Wheel (Hitch Not Included)
BP HITCH	24K lb. B&W Hitch with Receiver Tube
SIDE RAILS	3/8" x 2" Rubrail with Stake Pockets on Fuel Deck

FUEL FILL	Angled
REAR LIGHTING	Clear LED Oval
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(2) Underbody Integrated Toolbox
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Molded Plastic with Hanger Bars

NOTABLE OPTIONS INCLUDE: Cargo Light



LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Treadplate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube
SIDE RAILS	N/A

FUEL FILL	Angled
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in Rear
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Steel Welded-In
SIDESTEPS	In Front of and Behind Fender
TIE DOWNS	(4) 18" Airline Track Tiedowns, (4) Attachment Rings

NOTABLE TM OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability);
Bale Spikes; Color Primer Only; CTech or American Eagle Drawers in Front Utility Toolboxes; Stainless Fenders; Work Lights (pictured)







	TM DELUXE	TMX
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6"
HEADACHE RACK	Steel Tube	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval	Clear LED Oval
DECK	1/8" Treadplate	1/8" Treadplate
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers
REAR SKIRT	Solid One Piece with Rear Step	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube
SIDE RAILS	N/A	N/A
FUEL FILL	Angled	Angled
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel	Steel
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	Utility Box in front; Top-Open ½ Length Shovel Box; Tall Chain Box in rear; Opossum Belly	Utility Box in front; Top-Open ¾ Length Shovel Box; Low-Profile Chain Box in Rear
TOOLBOX HANDLE	Chrome T-Handle Compression	Chrome T-Handle Compression
FENDERS	Steel Radius	Steel Radius
SIDESTEPS	In Front of and Behind Fender	In Front of and Behind Fender
TIE DOWNS	(4) 18" Airline Track Tiedowns, (4) Attachment Rings	(4) 18" Airline Track Tiedowns, (4) Attachment Rings
REAR WORK LIGHTS	Standard	Standard

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (flush mount only); Bale Spikes; Color Primer Only; CTech or American Eagle Drawers in Front Utility Toolboxes; Stainless Fenders;



LENGTHS	8'6", 9'4", 11'4"
HEADACHE RACK	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	Extruded Aluminum
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Crossmembers
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube
SIDE RAILS	N/A

FUEL FILL	Angled
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Aluminum
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in Rear
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Aluminum
SIDESTEPS	In Front of and Behind Fender
TIE DOWNS	(4) 18" Airline Track Tiedowns, (4) Attachment Rings
REAR WORK LIGHTS	Standard







LENGTHS	84", 8'6", 9'4"	FUEL FILL	Angled (Cast Aluminum)
HEADACHE RACK	Aluminum Tube	12V TRAILER PLUG	N/A
HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
DECK	Extruded Aluminum Floor	LIGHT BOX (REAR SKIRT)	Aluminum
FRAME RAILS	4" Aluminum Channel	MARKER LIGHTING	Bullet DOT Approved LED
CROSSMEMBERS	3" Extruded Aluminum Crossmembers	TOOLBOX	Optional Underbody
REAR SKIRT	14" Solid One Piece Square Back	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	N/A	SIDESTEPS	N/A
SIDE RAILS	3/8 x 2" Aluminum Extrusion with Aluminum Stake Pockets	TIE DOWNS	N/A

NOTABLE OPTIONS INCLUDE: Cargo Light; Underbody Toolbox; Wood, Rumber or Blackwood Flooring



	PL	PLS
LENGTHS	9'-18'= Standard Duty   12'-24'= Heavy Duty	9'-18'
HEADACHE RACK	Formed Bulkhead with Punched Window Cutout	Bolt-On Headache Rack and Ship-Through Corners
CAB PROTECTOR LIGHTING	N/A	N/A
DECK	9'-18' = 1/8" Treadplate 12'-24'' = 3/16" Treadplate	1/8" Treadplate
FRAME RAILS	9'-18' = 4" Structural Channel Steel 12'-24' = 8" Channel Steel	4" Structural Channel Steel
CROSSMEMBERS	9'-18' = 3" Roll-Formed Channel Steel 12'-24' = 4" Channel Steel on 12" Centers	3" Roll-Formed 3/16" Channel Steel
REAR SKIRT	One Piece Steel	One Piece Steel
GN HITCH	N/A	N/A
BP HITCH	ICC Optional	ICC Optional
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	Smooth Sides w/ Internal Stake Pockets
FUEL FILL	N/A	N/A
12V TRAILER PLUG	N/A	N/A
REAR LIGHTING	N/A	N/A
LIGHT BOX (REAR SKIRT)	N/A	N/A
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	Optional Underbody	Optional Underbody

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes, Cargo Light; Color Primer Only; Front Underbody Toolbox; Stake Sides; Wood, Rumber or Blackwood Flooring




FEATURES AND OPTIONS



LENGTHS	12'-18'= Standard Duty
CAB PROTECTOR	Formed Bulkhead with Punched Window Cutout
CAB PROTECTOR LIGHTING	N/A
DECK	Extruded Aluminum Floor
FRAME RAILS	4" Aluminum Channel
CROSSMEMBERS	3" Aluminum Channel Crossmembers
REAR SKIRT	One Piece Aluminum

GN HITCH N/A
BP HITCH ICC Optional
SIDE RAILS 3/8" x 2" Side Rails with Stake Pockets
MARKER LIGHTING Bullet DOT Approved LED
TOOLBOX Optional Underbody

NOTABLE OPTIONS INCLUDE: Aluminum Underbody Toolboxes; Wood, Rumber or Blackwood Flooring



LENGTHS	9', 11'	FUEL FILL	Chassis OEM
CAB PROTECTOR	Formed Steel with Cab Protector	12V TRAILER PLUG	Completed at Upfit
CAB PROTECTOR LIGHTING	N/A	REAR LIGHTING	Chassis DEM
DECK	10-Gauge	LIGHT BOX (REAR SKIRT)	N/A
FRAME RAILS	6" Channel Steel	MARKER LIGHTING	Red
CROSSMEMBERS	3" Structural Crossmembers	TOOLBOX	N/A
REAR SKIRT	N/A	TOOLBOX HANDLE	N/A
GN HITCH	N/A	FENDERS	N/A
BP HITCH	Optional ICC Rear Bumper	SIDESTEPS	N/A
SIDE RAILS	N/A	TIE DOWNS	(4) Welded with D-Rings

NOTABLE OPTIONS INCLUDE: Fold-Down Sides; Tarp; Rear Work Lights; Venco Hoist







LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Pipe
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	3/16" Treadplate
FRAME RAILS	6" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers
REAR SKIRT	Solid One Piece Square Tailboard with Rolling Section & 5" Rolling Tailboard
GN HITCH	24K lb. B&W Hitch with Welded Ball
BP HITCH	18.5K lb. B&W Hitch with Receiver Tube
SIDE RAILS	Integrated Side Rails with Internal Stake Pockets

FUEL FILL	Angled	
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	
REAR LIGHTING	LED Oval	
LIGHT BOX (REAR SKIRT)	Steel	
MARKER LIGHTING	Bullet DOT Approved LED	
TOOLBOX	(2) Integrated in Front of Fenders	
TOOLBOX HANDLE	T Handle Compression	
FENDERS	N/A	
PAINT FINISH	Premium Polyurethane	
POLES	Schedule 80 Gin Poles with Frame and Pipe Holders	

NOTABLE OPTIONS INCLUDE: Junk Basket; Water Cooler Rack; Winch Package (12K or 15K)



LENGTHS	8'6", 9'4", 11'4"	
HEADACHE RACK	Steel Tube	
HEADACHE RACK LIGHTING	Clear LED Oval	
DECK	1/8" Treadplate	
FRAME RAILS	6" Structural Channel Steel	
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers	
REAR SKIRT	Solid One Piece with Rear Step	
GN HITCH	30K lb. B&W Hitch with Welded Ball	
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube	
SIDE RAILS	Tube	

FUEL FILL	Angled
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(2) Standard in Front of Fender
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	N/A
SIDESTEPS	N/A
TIE DOWNS	(4) 18" Airline Track Tiedowns, (4) Attachemnt Rings

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light





LENGTHS	9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Treadplate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	NA
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube

FUEL FILL	Angled
12V TRAILER PLUG	Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Standard Front Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
MATERIAL RACK	Forklift Ready 1,500 lb. Heavy Duty Material Rack with Swinging Crossmembers
SIDE RAILS	Aluminum Fold Down Stake Sides

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; Cargo Light; Optional Underbody Toolboxes

TRUCK BEDS										
MODEL	22	RD	SK	SK DELUXE	ER	HS	TM	TM DELUXE	TMX	PL
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	8'6", 94", 114"	84", 8'6", 9'4", 11'4"	84", 8'6", 94", 11'4"	84", 8'6", 9'4", 11'4"	9'-18'= Standard Duty, 12'-24'= Heavy Duty
HEADACHE RACK	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Formed Bulkhead with Punchout for Window
HEADACHE RACK LIGHTING	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval w/ chrome housing	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A
DECK	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	9'-18' = 1/8" Treadplate, 12'-24' = 3/16" Treadplate
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	9'-18' = 4" Structural Channel Steel, 12'-24' = 8" Channel			
CROSSMEMBERS	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers	3" x 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmembers	3" Roll-Formed 3/16" Channel Crossmember	9'-18'=3" Roll Formed Channel Steel, 12'-24' = 4" Channel
REAR SKIRT	Solid One Piece with Tapered Corners	Solid One Piece with Tapered Corners	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece Between Runners	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	One Piece Steel
GN HITCH	30K lb. B&W Hitch w/ Welded Ball in Recessed Box	30K lb. B&W Hitch w/ Welded Ball in Recessed Box	30K lb. B&W Hitch w/ Welded Ball in Recessed Box	30K lb. B&W Hitch w/Welded Ball in Recessed Box	30K lb. B&W Hitch with Welded Ball in Trough	30K Ib-rated CURT Rail System Compatible with GN or 5th Wheeel (Hitch Not Included)	30K lb. B&W Hitch w/ Welded Ball in Recessed Box	30K lb. B&W Hitch w/ Welded Ball in Recessed Box	30K lb. B&W Hitch w/ Welded Ball in Recessed Box	N/A
BP HITCH	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	ICC optional
SIDE RAILS	Integrated Side Rails with Internal Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	Raised Side Rail with Aluminum Cap	3/8" x 2" Side Rails with Stake Pockets on Fuel Deck	N/A	N/A	N/A	3/8" x 2" Side Rails with Stake Pockets
FUEL FILL	Angled	Angled	Angled	Angled	Angled (Cast Aluminum)	Angled	Angled	Angled	Angled	N/A
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin GN Box, Round 7 Pin/4 Way Flat on Rear	N/A
REAR LIGHTING	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LEO Oval w/chrome housing	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A
LIGHT BOX (REAR SKIRT)	Steel	Steel	Steel	Steel	Cast Aluminum	N/A	Steel	Steel	Steel	N/A
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED			
TOOLBOX	Optional Underbody	Optional Underbody	(4) Standard Integrated	(2) Front Utility Toolboxes; (2) Rear Integrated Toolboxes	(4) Standard Integrated	(2) Integrated in Front	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in rear	Utility Box in front; Top-Open 1/2 Length Shovel Box; Tall Chain Box in rear; Opossum Belly	Utility Box in front; Top-Open ¾ Length Shovel Box; Low-Profile Chain Box in rear	Optional Underbody
TOOLBOX HANDLE	N/A	N/A	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	N/A
FENDERS	N/A	N/A	Steel Radius	Steel Radius	Chrome Radius	Molded Plastic with Steel Hanger Bars	Steel Radius	Steel Radius	Steel Radius	N/A
SIDE STEPS	N/A	N/A	In Front of and Behind Fender	In Front of and Behind Fender	In Front of and Behind Fender	N/A	In Front of and Behind Fender	In Front of and Behind Fender	In Front and Behind Fender	N/A
TIE DOWNS	N/A	N/A	N/A	N/A	(4) 18" Airline Track Tiedowns (2) Attachment Rings	N/A	(4) 18" Airline Track Tiedowns (2) Attachment Rings	(4) 18" Airline Track Tiedowns (4) Attachment Rings	(4) 18" Airline Track Tiedowns, (4) Attachment Rings	N/A
ADDITIONAL FEATURES	Orop-in Side Rails Optional	Orop-in Side Rails Optional	Drop-in Side Rails Optional	Orop-in Side Rails Optional	Trough in Center for Convenient Hookup	Cargo Light	Rear Tailgate with Paddle Latch; Rear Work Lights	Rear Tailgate with Paddle Latch; Rear Work Lights	Rear Tailgate with Paddle Latch; Rear Work Lights	Optional HD Package Optional ICC Bumper Optional Stake Sides



## ALUMINUM

					·			12 100		
PLS	CT	DB	SZ	AL RD	AL SK	AL SK DELUXE	AL ER	AL TM	AL PL ALL ALUMINUM	AL RS ALL ALUMINUM
9'-16'	9'4", 11'4"	9', 11'	8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	8'6", 9'4", 11'4"	12'-18' = Standard Duty	84", 8'6", 9'4"
Bolt-On Headache Rack and Ship-Through Corners	Steel Tube	Formed Steel with Cab Protector	Steel Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube	Formed Bulkhead with Punched Window Cutout	Aluminum Tube
N/A	Clear LED Oval	N/A	Clead LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A	Clear LED Oval
1/8" Treadplate	1/8" Treadplate	10-Gauge	1/8" Treadplate	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor
4" Structural Channel Steel	4" Structural Channel Steel	6" Structural Channel Steel	6" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel
3" Roll-Formed 3/16" Channel Crossmember	3" Roll-Formed 3/16" Channel Crossmember	3" Structural Channel	3" Roll-Formed 3/16" Channel Crossmember	3" Roll-Formed 3/16" Channel Crossmembers	3" x 3" 3/16" Square Tube Crossmembers	3" x 3" 3/16" Square Tube Crossmembers	3" x 3" 3/16" Square Tube Crossmembers	3" x 3" 3/16" Square Tube Crossmembers	3" Aluminum Channel Crossmembers	3" Extruded Aluminum Crossmembers
One Piece Steel	Solid One Piece with Tapered Corners and Rear Step	N/A	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	One Piece Aluminum	14" Solid One Piece Square Back
N/A	N/A	N/A	30K lb. B&W Hitch with Welded Ball in Recessed Box	30K lb. B&W Hitch with Welded Ball in Recessed Box	30K lb. B&W Hitch with Welded Ball in Recessed Box	30K lb. B&W Hitch with Welded Ball in Recessed Box	30K lb. B&W Hitch in Trough	30K lb. B&W Hitch with Welded Ball in Recessed Box	N/A	N/A
ICC Optional	24K lb. 2 ½" B&W Hitch with Receiver Tube	Optional ICC Rear Bumper	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 1/2" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	24K lb. 2 1/2" B&W Hitch with Receiver Tube	24K lb. 2 ½" B&W Hitch with Receiver Tube	ICC Optional	N/A
Smooth Side Rails with Internal Stake Pockets	Aluminum Fold Down Side Rails	N/A	Tube	3/8" x 2" Side Rails with Stake Pockets	3/8" X 2" Side Rails with Stake Pockets	3/8" X 2" Side Rails with Stake Pockets	3/8" X 2" Side Rails with Stake Pockets	N/A	3/8" X 2" Side Rails with Stake Pockets	3/8" x 2" Aluminum Extrusion with Aluminum Stake Pockets
N/A	Angled	Chassis OEM	Angled	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	N/A	Angled (Cast Aluminum)
N/A	Round 7 Pin/4 Way Flat on Rear	Completed at Upfit	Round 7 Pin GN Box, Round 7 Pin/4 way flat on rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	N/A	N/A
N/A	Clear LED Oval	Chassis OEM	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval with Chrome Housing	Clear LED Oval	N/A	Clear LED Oval
N/A	In Rear Skirt-Steel	N/A	Steel	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	N/A	Aluminum
Bullet DOT Approved LED	Bullet DOT Approved LED	2" Red	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Dullet DOT Approved LED
Optional Underbody	Standard Front Toolboxes	N/A	(2) Integrated in Front	Optional Underbody	(4) Standard Integrated	(2) Front Utility Toolboxes; (2) Rear Integrated Toolboxes	(4) Standard Integrated	Utility Box in Front, Top-Open 3/4 Length Shovel Box, Low-Profile Chain Box in Rear	Optional Underbody	Optional Underbody
N/A	Chrome T-Handle Compression	N/A	Chrome T-Handle Compression	N/A	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Aluminum Radius	Aluminum Radius	Chrome Radius	Aluminum Radius	N/A	N/A
N/A	N/A	N/A	N/A	N/A	Aluminum Steps in Front of and Behind Fender	Aluminum Steps in Front of and Behind Fender	Aluminum Steps in Front of and Behind Fender	Aluminum Steps in Front of and Behind Fender	N/A	N/A
N/A	N/A	(4) Welded in D-Rings	(4) 18" Airline Track Tiedowns, (4) Attachment Rings	N/A	N/A	N/A	(4) 18" Airline Track Tiedowns (2) Attachment Rings	(4) 18" Airline Track Tiedowns (2) Attachment Rings	N/A	N/A
Optional ICC Bumper Optional Stake Sides	Aluminum Fold Down Sides; Material Rack	Bolt-on Hoist Subframe and Install Kit Rigid or Fold-Down Sides		Drop-in Aluminum Side Rails (Optional)	Drop-in Aluminum Side Rails (Optional)	Drop-in Aluminum Side Rails (Optional)	Trough in Center for Convenient Hookup	Rear Tailgate with Paddle Latch	Optional ICC Bumper, Aluminum Stake Sides	Drop-In Aluminum Side Rails (Optional)

# VERSATILITY FOR EVERY BODY

CM TRUCK BEDS SERVICE BODIES ARE THE MOST VERSATILE ON THE MARKET TODAY. WHATEVER THE APPLICATION, CM HAS THE RIGHT SERVICE BODY AVAILABLE AND READY TO BE DELIVERED FASTER THAN ANY BODY. COMPONENT-STYLE CONFIGURATIONS ALLOW FOR EASY CUSTOMIZATION, AND THE BEST WARRANTY IN THE INDUSTRY ENSURES YEARS OF RELIABLE USE.

#### **COMPONENT-STYLE CONFIGURATION**

Go ahead, put our products through the wringer: Unlike many in the industry, our component bodies are bolted together, which makes repair and maintenance far easier. Need a different configuration? Customization is as simple as unbolting the part you want to change.





#### **DURABLE POWDERCOAT FINISH**

While other companies stick to paint, CM Truck Beds coats every Service Body we make with powder. Using the highest quality powdercoat finish, we go under every edge and cover every crevice to ensure your service body is protected. This superior finish also adds a shine that will last for many years.

#### GAS CYLINDER DOOR SHOCKS

We don't use simple springs, we use the finest gas shocks on the market today. Even when your hands are full, our gas shocks allow you to easily open and close our doors.





#### HEAVY-DUTY REAR TAILGATES

All Service Bodies from CM Truck Beds feature tailgates that are tough enough to keep materials inside the deck where they belong. Need to step to get in a bed? No problem: These tailgates are rated at over 400 pounds, supporting even the largest operators to gain access.



#### DECKS

Our best-in-class steel decks provide a solid foundation for ensuring our bodies will live up to the rigorous expectations of our customers. We not only start with a strong deck, but also coat it with our super-durable Black Lava deck coating, which enhances the overall performance of our Service Bodies.





LENGTHS	76", 81", 82", 98", 110", 134"	
HEADACHE RACK	Optional	
HEADACHE RACK LIGHTING	N/A	
DECK	12 Gauge Galvanneal Steel with Black Lava Coating	
FRAME RAILS	Bed Delete - 12 Gauge, Cab Chassis - 10 Gauge	
CROSSMEMBERS	Bed Delete - 12 Gauge, Cab Chassis - 10 Gauge	
BP HITCH	Optional Bolt-on (Cab Chassis)	

	FUEL FILL	Angled Cast	FF - FF
	REAR LIGHTING	Clear LED Oval	4
	MARKER LIGHTING	Bullet DOT Approved LED	FEATURES
th Black Lava Coating	TOOLBOX	(6) Standard Integrated Toolboxes	
hassis - 10 Gauge	TOOLBOX HANDLE	Chrome T-Handle Compression	AND
hassis - 10 Gauge	FENDERS	Polished Aluminum Trim	
s)	TIEDOWNS	(4) Tiedown Loops	묵
			<b>=</b>
NOTABLE OPTIONS INCLUDE:	Fliptop Sidepack Compartments; Masterloc	k; Material Rack; CTech or American Eagle Drawers in Toolboxes; H	eadache Rack;



LENGTHS	76", 81", 82", 98", 110", 134"	FUEL FILL	Angled Cast
HEADACHE RACK	Optional	REAR LIGHTING	Clear LED Oval
HEADACHE RACK LIGHTING	N/A	MARKER LIGHTING	Bullet DOT Approved LED
DECK	3/16" Aluminum Deck with Black Lava Coating	TOOLBOX	(6) Standard Integrated Toolboxes
FRAME RAILS	3/16" Aluminum	TOOLBOX HANDLE	Chrome T-Handle Compression
CROSSMEMBERS	3/16" Aluminum	FENDERS	Polished Aluminum Trim
BP HITCH	Optional Bolt-on (Cab Chassis)	TIEDOWNS	(4) Tiedown Loops
	, , , , , , , , , , , , , , , , , , , ,		, ,

NOTABLE OPTIONS INCLUDE: Fliptop Sidepack Compartments; Masterlock; Material Rack; CTech or American Eagle Drawers in Toolboxes; Headache Rack;





LENGTHS	76", 81", 82", 98", 110", 134"	FUEL FILL	Angled Cast	晋
HEADACHE RACK	Optional	REAR LIGHTING	Clear LED Oval	Ą
HEADACHE RACK LIGHTING	N/A	MARKER LIGHTING	Bullet DOT Approved LED	垣
DECK	.125" Treaplate Steel Deck	TOOLBOX	(6) Standard Integrated Toolboxes	ES
FRAME RAILS	Bed Delete - 12 Gauge, Cab Chassis - 10 Gauge	TOOLBOX HANDLE	Chrome T-Handle Compression	A
CROSSMEMBERS	Bed Delete - 12 Gauge, Cab Chassis - 10 Gauge	FENDERS	Polished Aluminum Trim	
BP HITCH	Optional Bolt-on (Cab Chassis)	TIEDOWNS	(4) Tiedown Loops	묵
				<u>=</u>
	NOTABLE OPTIONS INCLUI	DE: Fliptop Sidepack Compartments; Masterloo	ck; Material Rack; CTech or American Eagle Drawers in Toolboxe	es: Headache Rack;



LENGTHS	76", 81", 82", 98", 110", 134"	FUEL FILL	Angled Cast
HEADACHE RACK	Optional	REAR LIGHTING	Clear LED Oval
HEADACHE RACK LIGHTING	N/A	MARKER LIGHTING	Bullet DOT Approved LED
DECK	.125" Treaplate Aluminum Deck	TOOLBOX	(6) Standard Integrated Toolboxes
FRAME RAILS	3/16" Aluminum	TOOLBOX HANDLE	Chrome T-Handle Compression
CROSSMEMBERS	3/16" Aluminum	FENDERS	Polished Aluminum Trim
BP HITCH	Optional Bolt-on (Cab Chassis)	TIEDOWNS	(4) Tiedown Loops

NOTABLE OPTIONS INCLUDE: Fliptop Sidepack Compartments; Masterlock; Material Rack; CTech or American Eagle Drawers in Toolboxes; Headache Rack;





## BRANDED STAINLESS STEEL T-HANDLE COMPRESSION LATCHES

Not only do we have the best toolbox doors in the industry, we help you seal them with a two step compression latch that ensures you can work with confidence that your tools will not be exposed to the elements.



#### **OPTIONAL B&W HITCHES**

At CM, we are committed to towing safety, that's why we have designed our hitches in conjunction with B&W Trailer Hitches to ensure that your trailers are towed safely with higher capacities than any other service body on the market. We know that our customers demand high tow ratings, so we have a solution that will meet the needs of our commercial customers.



## OPTIONAL FLIP-TOP SIDE PACK COMPARTMENTS

At CM Truck Beds, we know that our customers like to be organized. With that in mind, we have designed a better solution to organization, easy to add aftermarket and made out of aluminum so that they will not corrode like most service bodies on the market today.

# BEST IN CLASS FEATURES



## THREE PIECE DOORS WITH D-BULB WEATHER-STRIPPING

Toolboxes carry a worker's best friend: his tools.

To protect them, our toolbox doors feature heavy-duty T-handle compression latches, and are sealed with automotive D-bulb weather-stripping to ensure that no moisture gains entry. So your tools are not only safe, but also safely out of the elements.



#### LED REAR LIGHTING WITH WIRING HARNESS

When safety counts, count on CM Truck Beds to take care of you. We utilize the safest, easiest-to-maintain lights available. LED lights are brighter, light up instantaneously, and make for easier maintenance.

## 4 YEAR / 48,000 MILE WARRANTY

Some companies say they stand behind their products; we put it in writing. While the industry standard is to only warranty a body for a period of 36 months, we're happy to go above and beyond and offer a 48-month warranty. We recognize what an investment a Service Body can be and we want you to know that we're with you for the long haul.



LENGTHS	108", 132"
BODY	A60 Galvanneal Steel
HEADACHE RACK	Optional
DECK	Heavy Duty 3/16" Smooth Steel
FRAME STRUCTURE	Torsion Box
TAIL SHELF	72" x 12" x 18" Work Bench with Passthrough Storage
BP HITCH	24K lb. 2½" B&W Hitch with Receiver Tube
MASTER LOCKS	Spring Loaded Pistol Grip Compartment Locks

FUEL FILL	Angled with Standard Dual Fender Cutouts
12V TRAILER PLUG	Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Oval LED Lights in Light Boxes
MARKER LIGHTING	Bullet DOT Approved ¾" LED Lights
SIDEPACKS	44"x 22" Boxes on L and R with Optional Raised Curbside Comp.
COMPARTMENT LATCHES	Chrome T-Handle Compression with 3-Point Latch
FENDERS	Rubber Fender Trim with Optional Aluminum Trim
SIDESTEPS	Standard Punched Treadsteps on each end of Tailshelf
TIE DOWNS	(6) 2,000 lb. Recessed D-Ring Tiedowns in Deck Area


NOTABLE OPTIONS INCLUDE: Optional Customizable CARR Sidesteps under Compartments; Remote Control T Handle Compression E-Lock Latches



# SERVICE BODY CONFIGURATIONS

With an array of sizes and configurations to choose from, there's a CM Truck Beds Service Body designed to meet the specific needs of your industry and your fleet.

## DON'T ADJUST TO YOUR BODY. MAKE YOUR BODY ADJUST TO YOU.




Chasis Style	C.A.	А	В	С
W286	56"	78"	49 ¼"	14 ¼"
98DW	56"	94"	49 ¼"	22 ¼"
110SW	60"	78"	49 ¼"	14 ¼"
110DW	60"	94"	49 ¼"	22 ¾"
134DW	84"	94"	49 ¼"	22 ¾"

SW - Single Wheel | DW - Dual Wheel




# SERVICE BODY CONFIGURATIONS



## **V CONFIGURATION (V98 & V110)**

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: Open with "Pass-Through" to rear vertical
- Rear Vertical: One adjustable shelf with two adjustable dividers



## **V CONFIGURATION (V133)**

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- 2nd Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: Open with "Pass-Through" to rear vertical
- Rear Vertical: One adjustable shelf with two adjustable dividers



# NOTES

# NOTES



# NOTES



## WHAT PART NUMBER IS RIGHT FOR YOU?

Be confident when you're ordering a CM Truck Bed that you're getting the right bed for the right truck.

•Truck bed parts # is listed below for the corresponding truck model. If no part # is listed, the truck bed is not available for this truck model.

Truck	22	RD	SK	ER	ТМ	TMX	TMDLX	ALRD	ALSK	ALER	SB	SBA
GM SW LB	SS-01843842	RD-01843842	SK-01824242	ER-01824242		TMX-01844242		ALRD-01843842	ALSK-01844242	ALER-01844242	CMG8178	CMA8178
Ram SW SB	SS-01843842	RD-01843842	SK-01843842	ER-01823842				ALRD-01843842	ALSK-01843842	ALER-01843842	CMG7678	CMA7678
Ford SW SB 2017 to Present	SS-01843842	RD-01843842	SK-01844042	ER-01824042		TMX-01844042		ALRD-01843842	ALSK-01844042	ALER-01844042	CMG8278	CMA8278
Ford SW SB 2016 & Before	SS-01844038	RD01844038	SK-01844038	ER-01824038		TMX-01844038		ALRD-01844038	ALSK-01844038	ALER-01844038	CMG8278	CMA8278
Ram DW MEGA	SS-01973842	RD-01973842	SK-01973842	ER-01973842				ALRD-01973842	ALSK-01973842	ALER-01973842		
GM SW LB	SS-02845842	RD-02845842	SK-02845642	ER-02825642		TMX-02845642		ALRD-02845842	ALSK-02845642	ALER-02845642	CMG9878	CMA9878
Ram SW LB	SS-02845842	RD-02845842	SK-02845842	ER-02824842		TMX-02845842		ALRD-02845842	ALSK-02845842	ALER-02845842	CMG9878	CMA9878
Ford SW LB 2017 to 2021	SS-02845842	RD-02845842	SK-02845842	ER-02825842		TMX-02845842		ALRD-02845842	ALSK-02845842	ALER-02845842	CMG9878	CMA9878
Ford/Ram SW LB 2022 to Present	SS-02845842	RD-02845842	SK-02845742	ER-02825742		TMX-02845742		ALRD-02845742	ALSK-02845742	ALER-02845742	CMG9878	CMA9878
Ford SW LB 2016 & Before	SS-02845638	RD-02845638	SK-02845638	ER-02825638		TMX-02845638		ALRD-02845638	ALSK-02845638	ALER-02845638	CMG9878	CMA9878
GM DW LB	SS-02975842	RD-02975842	SK-02975642	ER-02975642*	TM-02975642		TM-02975642DLX	ALRD-02975642	ALSK-02975642	ALER-02975642	CMG9894	CMA9894
Ram DW LB	SS-02975842	RD-02975842	SK-02975842	ER-02945842	TM-02975842		TM-02975842DLX	ALRD-02975842	ALSK-02975842	ALER-02975842	CMG9894	CMA9894
Ford DW LB 2017 to 2021	SS-02975842	RD-02975842	SK-02975842	ER-02975842SD	TM-02975842SD		TM-02975842SDDLX	ALRD-02975842	ALSK-02975842	ALER-02975842	CMG9894	CMA9894
Ford/Ram DW LB 2022 & After	SS-02975842	RD-02975842	SK-02975742	ER-02975742	TM-02975742		TM-02975742DLX		ALSK-02975742	ALER-02975742	CMG9894	CMA9894
Ford DW LB 2016 & Before	SS-02975638	RD-02975638	SK-02975638	ER-02975638	TM-02975638		TM-02975638DLX	ALRD-02975638	ALSK-02975638	ALER-02975638	CMG9894	CMA9894
Ford/Ram 60" DW CC	SS-03946034SD	RD-03946034SD	SK-03946034SD	ER-03946034SD	TM-03946034SD		TM-03946034SDDLX	ALRD-03976034SD	ALSK-03946034SD	ALER-03946034SD	CMG11094	CMA11094
GM 60" DW CC 2020 to Present	SS-03946034SD	RD-03976034SD	SK-03926034SD	ER-03926034SD	TM-03926034SD		TM-03926034DLX	ALRD-03976034SD	ALSK-03926034SD	ALER-03926034SD	CMG11094	CMA11094
Ford 60" SW CC	SS-03846034SD	RD-03846034SD	SK-03846034SD	ER-03826034SD		TMX-03846034SD		ALRD-03846034SD	ALSK-03846034SD	ALER-03846034SD	CMG11078	CMA11078
Ford/Ram 84" DW CC	SS-04948434SD	RD-04978434SD	SK-04948434SD	ER-04948434SD	TM-04948434SD		TM-04948434SDDLX	ALRD-04978434SD	ALSK-04948434SD	ALER-04948434SD	CMG13394	CMA13394
GM 60" DW Med Duty SD		RD-03976034SD	SK-03976034GMSD	ER-03976034GMSD	TM-03976034GMSD		TM-03976034GMSDDLX				CMG11094	CMA11094
GM 84" DW Med Duty SD		RD-04978434GMSD	SK-04978434GMSD	ER-04978434GMSD	TM-04978434GMSD		TM-04978434GMSDDLX				CMG13394	CMA13394

## **CM TRUCK BEDS OUTFITTING GUIDE**

FORD		LENGTH	WIDTH	CAB-TO-AXLE	RUNNERS
	Single Wheel Short Wheel Base	84"	84"	40"	38"
1998-2016	Single Wheel Long Wheel Base	8'6"	84"	56"	38"
	Dually	8'6"	97"	56"	38"
	Single Wheel Short Wheel Base	84"	84"	40"	42"
2017 - 2021	Single Wheel Long Wheel Base	8'6"	84"	58"	42"
	Dually	8'6"	97"	58"	42"
	Single Wheel Short Wheel Base	84"	84"	40"	42"
2022 - Present	Single Wheel Long Wheel Base	8'6"	84"	57"	42"
	Dually	8'6"	97"	57"	42"
All Model Years	Cab & Chassis (60" C/A)	9'4"	97″ ●	60"	34"
	Cab & Chassis (84" C/A)	11′4″	97″ ●	84"	34"
	Single Wheel Cab & Chassis	9'4"	84" •	60"	34"

• When ordering the SK model, use 94" width

RAM		LENGTH	WIDTH	CAB-TO-AXLE	RUNNERS
	Single Wheel Short Wheel Base	84"	84"	40"	38"
1998-2016	Single Wheel Long Wheel Base	8'6"	84"	56"	38"
	Dually	8'6"	97"	56"	38"
	Single Wheel Short Wheel Base	84"	84"	38"	42"
וכחב פווכ	Single Wheel Long Wheel Base	8'6"	84"	58"	42"
2017-2021	Dually	8'6"	97"	58"	42"
	Mega Cab Dually	84"	97"	38"	42"
	Single Wheel Short Wheel Base	84"	84"	38"	42"
2022 - Present	Single Wheel Long Wheel Base	8'6"	84"	57"	42"
ZUZZ - Present	Dually	8'6"	97"	57"	42"
	Mega Cab Dually	84"	97"	38"	42"
All Model Years	Cab & Chassis (60" C/A)	9'4"	97″ ●	60"	34"
	Cab & Chassis (84" C/A)	11′4″	97″ ●	84"	34"
	Single Wheel Cab & Chassis	9'4"	84"	60"	34"

• When ordering the SK model, use 94" width

GENERAL MOTORS		LENGTH	WIDTH	CAB-TO-AXLE	RUNNERS
	Single Wheel Short Wheel Base	84"	84"	42"	42"
2000-Present	Single Wheel Long Wheel Base	8'6"	84"	56"	42"
	Dually	8'6"	94"	56"	42"
	Single Wheel Short Wheel Base	9'4"	97″ ●	60"	34"
	Single Wheel Long Wheel Base	11′4″	97″●	84"	34"
	Dually	9'4"	84"	60"	34"





BUILT FOR YOUR SUCCESS. Since 1990, CM Truck Beds has offered a wide range of feature-rich, work-ready products built to withstand the test of time and deliver the ultimate in value. Headquartered in Kingston, Oklahoma, CM Truck Beds has over 150,000 square feet of manufacturing and employs more than 300 experienced laborers and sales associates. We're proud to be the leader in flat-bed truck bodies, and we're dedicated to providing the solutions you need to get the job done.

When searching for a dependable and good-looking truck body that will help on the job site, down the road, or on the ranch, look no further than CM Truck Beds. Our field-tested products fit not only the vehicles they connect with but also the customers who use them, day in and day out. We utilize category-leading hitches, toolbox latches, and headache racks in addition to offering the toughest steel and aluminum beds and service bodies on the market.

Additionally, our strong network includes more than 200 distributors across North America who specialize in aftermarket upfit and installation. Count on superior product quality, large onhand inventory, and attention to detail throughout the upfitting process. It's this dedication to providing realworld solutions that makes CM Truck Beds the go-to source for hardworking professionals.











f 💆 🖸 🚱 in

833-268-7825 | CMTRUCKBEDS.COM