



SET THE STANDARD

STEEL AND ALUMINUM TRUCK BEDS AND SERVICE BODIES

CM
TRUCK BEDS®

WWW.CMTRUCKBEDS.COM

SET THE STANDARD.

CM Truck Beds offers the industry's most rugged, durable and best-looking truck beds and service bodies. We're proud to be the premium choice for commercial fleets and work truck users. Whether you're looking for a steel flat bed, a specialty bed, a heavy-duty aluminum bed, or a versatile service body, CM Truck Beds has a product to meet your needs and exceed your expectations. Our diverse lineup will fit almost any cab and chassis or take-off.



MOST OF OUR TRUCK BEDS AND SERVICE BODIES INCLUDE:

- Best-In-Class Rated B&W Trailer Hitches
- Premium Dust on Dust Powder Coat
- T-Handle Compression Toolbox Latches
- 3/8" Rub Rail & Stake Pockets on many models
- LED Lighting with Lifetime Warranty
- Plug & Play Modular Sealed Wiring Harness
- 1/8" Steel Tread Plate Decking
- 3" Steel Crossmembers
- Service Bodies Feature Convertible-Style Configuration
- Easier to Customize, Maintain and Repair

THE DIFFERENCE IS CLEAR

OUR ENGINEERS WORK HARD TO ADAPT TO THE EVER-CHANGING STYLES OF OEM CHASSIS MANUFACTURERS, SO YOU'RE NOT JUST GETTING DURABILITY, BUT ALSO OPTIMUM USABILITY. QUITE SIMPLY, WE'RE COMMITTED TO PROVIDING A LEVEL OF QUALITY YOU CAN FEEL GREAT ABOUT, AT A VALUE THAT'S UNSURPASSED.

BEST-IN-CLASS RATED B&W HITCHES

While some manufacturers install hitches that are untested and carry rating loads untested, CM Truck Beds come standard with B&W hitches that are proven to withstand the heavy loads our beds tow. Each attachment point comes with quality trailer electrical connections, ensuring that you tow with safety first.



WARRANTY-PROTECTED LED LIGHTING

When safety counts, count on CM Truck Beds. We utilize the safest, easiest-to-maintain lights on the market. LED lights are brighter, light up instantaneously, make for easier maintenance, and come with a standard lifetime warranty.



RECESSED TOOLBOXES W/T-HANDLE COMPRESSION LATCHES

When you care about your tools, CM Truck Beds' recessed toolbox doors are the only solution that ensures maximized cargo protection. Our doors recess into the box, creating a seal while our T-Handle compression latches pull the door into the box when closed.



EXTRUDED ALUMINUM FLOORS (ALUMINUM MODELS)

How's this for tough: Our extruded aluminum floors have a weight rating of 600 pounds per square foot. Some say aluminum is weaker; we say they're just doing it wrong. (Not standard on AL ER Models.)



SINGLE-PIECE SQUARE TUBE HEADACHE RACKS

Clearly the toughest, heaviest square tube headache racks in the business. You won't see breaks, cuts or pieced-together parts in our racks; built from a single piece, they're indestructible. When the unexpected occurs, count on our headache racks to keep you safe.



3-PIECE, PLUG & PLAY MODULAR SEALED WIRING HARNESS

We understand that our beds are exposed to harsh conditions that oftentimes cause wiring to corrode, pull apart or deteriorate. CM Truck Beds wiring harnesses are designed for durability in even the most challenging conditions.



ALRD

ALUMINUM

ALUMINUM FLAT DECK

With our best-in-class 5052 aluminum, the ALRD is one of the most customizable beds in our lineup and tough enough to haul the big loads with premium B&W hitches and aluminum side rails. The popular ALRD models are expertly designed workhorses crafted to fit almost any unit.

Pictured with optional underbody toolboxes.

FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	Extruded Aluminum
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Aluminum Extruded Channel
REAR SKIRT	Solid One Piece with Tapered Corners
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	3/8" x 2" Aluminum Extrusion w/Aluminum Stake Pockets

FUEL FILL	Angled (Cast Aluminum)
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Aluminum
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Optional Underbody

NOTABLE OPTIONS INCLUDE: 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Wood, Rumber or Blackwood Flooring; Underbody Toolbox



RD

STEEL FLAT DECK

One of the most customizable beds in our line-up, the popular RD models are expertly designed and tough enough to haul the big loads with best-in-class B&W hitches and steel side rails. These professional-grade workhorses are crafted to fit almost any unit.

LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Steel Tread Plate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets

FUEL FILL	Angled
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Optional Underbody

FEATURES AND OPTIONS

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Wood, Rubber or Blackwood Flooring; Underbody Toolbox



ALSK

ALUMINUM

ALUMINUM SKIRTED TRUCK BODY

With our best-in-class lightweight and heavy duty 5052 aluminum, the ALSK packs all of the top-notch features and hardware from our SK models with our best-in-class tubular headache rack, LED lighting, top-rated B&W hitches, and integrated toolboxes.

FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	Extruded Aluminum
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Aluminum Extruded Channel
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	3/8" x 2" Aluminum Extrusion w/Aluminum Stake Pockets

FUEL FILL	Angled (Cast Aluminum)
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Aluminum
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(4) Standard Integrated Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Aluminum Radius
SIDESTEPS	Aluminum Steps in Front of and Behind Fender

NOTABLE OPTIONS INCLUDE: 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability);

Work Lights (pictured); Cargo Light; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Rear Rub Rail; Stainless Fenders; Wood, Rumber, or Blackwood Flooring



SK

STEEL SKIRTED TRUCK BODY

Top-notch features and hardware on the SK models include a best-in-class tubular headache rack, LED lighting, top-rated B&W hitches, and integrated toolboxes.

LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Steel Tread Plate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets

FUEL FILL	Angled
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(4) Standard Integrated Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Steel Radius
SIDESTEPS	In Front of and Behind Fender

FEATURES AND OPTIONS

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light; Color Primer Only; Dovetail Deck; Bale Spikes; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Rear Rub Rail; Stainless Fenders; Wood, Rumber, or Blackwood Flooring



ALSK

ALUMINUM

DELUXE

Hard workers everywhere will bring added efficiency with our enlarged front utility toolboxes. With our lighter and more corrosion resistant 5052 aluminum, the ALSK DLX brings a best-in-class look with our premium B&W hitches, side rails and LED lighting.

FEATURES AND OPTIONS

LENGTHS	8'6", 9'4", 11'4"
HEADACHE RACK	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	Extruded Aluminum
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Aluminum Extruded Channel
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	3/8" x 2" Aluminum Extrusion w/Aluminum Stake Pockets

FUEL FILL	Angled (Cast Aluminum)
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Aluminum
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(2) Front Utility Toolboxes; (2) Standard Integrated Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Aluminum Radius
SIDESTEPS	Aluminum Steps in Front of and Behind Fender

NOTABLE OPTIONS INCLUDE: 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Gooseneck Trough; Drop-In or Fold-Down Side Rails; C-Tech or Stellar Drawers in Front Toolboxes; Rear Rub Rail; Cargo Lights



SK DELUXE

For a best-in-class look and premium tool storage, B&W hitches and lighting, look no further than our top-selling SK Deluxe.

FEATURES AND OPTIONS

LENGTHS	8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Steel Tread Plate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel
REAR SKIRT	Solid One Piece with Tapered Corners
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets
FUEL FILL	Angled
12 V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved
TOOLBOX	(2) Front Utility Toolboxes; (2) Integrated Rear Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Steel Radius
SIDESTEPS	In Front of and Behind Fender

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Steel Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes; Cargo Lights; C-Tech or Stellar Drawers in Front Toolboxes; Goosneck Trough; Rear Rub Rail; Color Primer Only



Pictured with optional Stellar Drawer System.



ER / ALER

ALUMINUM

For impressive durability, great functionality and eye-catching design with zero tradeoffs, the stylish ER models are the smart choice for your hauling needs.

FEATURES AND OPTIONS

	STEEL	ALUMINUM
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval w/Chrome Housing	Clear LED Oval w/Chrome Housing
DECK	1/8" Steel Tread Plate	1/8" Aluminum Treadplate
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel	3" Aluminum Extrusion Channel
REAR SKIRT	Solid One Piece with Rear Step	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball in Trough	30K lb. B&W Hitch with Welded Ball in Trough
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	Raised Side Rail with Aluminum Cap	Raised Side Rail with Aluminum Cap
FUEL FILL	Angled (Cast Aluminum)	Angled (Cast Aluminum)
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval with Chrome Housing	Clear LED Oval with Chrome Housing
LIGHT BOX (REAR SKIRT)	Cast Aluminum	Cast Aluminum
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	(4) Standard Integrated	(4) Standard Integrated
TOOLBOX HANDLE	Chrome T-Handle Compression	Chrome T-Handle Compression
FENDERS	Chrome Radius	Chrome Radius
SIDESTEPS	In Front of and Behind Fender	Aluminum Steps In Front of and Behind Fender
TIE-DOWNS	(4) 18" Airline Track Tie-Downs (4) Attachment Rings	(4) 18" Airline Track Tie-Downs (4) Attachment Rings

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes (ER model); Cargo Lights; Color Primer Only (ER model)



STEEL AND ALUMINUM TRUCK BEDS



Pictured with optional mudflaps.

HS

STEEL HOTSHOT TRUCK BODY

We recognize that hotshot hauling is serious business, that's why we designed a real tool that is equipped to handle the rigors of this industry. Leave the kit behind and equip your truck with the real solution to hotshot hauling.

LENGTHS	8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Steel Tread Plate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel
REAR SKIRT	Solid One Piece Between Runners
GN HITCH	30K lb-rated CURT Rail System Compatible with GN or 5th Wheel (Hitch Not Included)

BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
12V TRAILER PLUG	Rd 7 Pin RV Style/4 Way Flat on Rear
FUEL FILL	Angled
REAR LIGHTING	Clear LED Oval
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(2) Underbody Integrated Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Molded Plastic with Hanger Bars
SIDE RAILS	3/8" x 2" Rub Rail with Stake Pockets on Fuel Deck

FEATURES AND OPTIONS

NOTABLE OPTIONS INCLUDE: Cargo Light; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); 30K lb. CURT Spyder Hitch System; B&W 5th Wheel Gooseneck Attachment



TM

STEEL TRADESMAN TRUCK BODY

The TM is America's ultimate Towing-Style utility body, with smart, ready-to-work features including a full-width tailgate and full-length shovel box.

Work lights are now standard.

FEATURES AND OPTIONS

LENGTHS	84", 8'6", 9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Steel Tread Plate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
FUEL FILL	Angled

12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in Rear
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Steel Welded-In
SIDESTEPS	In Front of and Behind Fender
TIE-DOWNS	(4) 18" Airline Track Tie-Downs, (4) Attachment Rings
REAR WORK LIGHTS	Standard

NOTABLE TM OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes; Color Primer Only; C-Tech or Stellar Drawers in Front Utility Toolboxes; Stainless Fenders



STEEL AND ALUMINUM TRUCK BEDS



TM / TMX

DELUXE

The TM Deluxe is designed to haul trailers from bumper or gooseneck positions and features an opossum belly, work lights and a tall rear toolbox. And with its 48"-wide deck, the TMX is the best solution for single-wheel chassis.



TMX Single Wheel Model

	TM DELUXE	TMX (SINGLE WHEEL)
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6"
HEADACHE RACK	Steel Tube	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval	Clear LED Oval
DECK	1/8" Steel Tread Plate	1/8" Steel Tread Plate
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel	3" Steel Channel
REAR SKIRT	Solid One Piece with Rear Step	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube	24K lb. B&W Hitch with 2 1/2" Receiver Tube
SIDE RAILS	N/A	N/A
FUEL FILL	Angled	Angled
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel	Steel
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	Utility Box in front; Top-Open 1/2 Length Shovel Box; Tall Chain Box in rear; Opossum Belly	Utility Box in front; Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in Rear
TOOLBOX HANDLE	Chrome T-Handle Compression	Chrome T-Handle Compression
FENDERS	Steel Radius	Steel Radius
SIDESTEPS	In Front of and Behind Fender	In Front of and Behind Fender
TIE-DOWNS	(4) 18" Airline Track Tie-Downs, (4) Attachment Rings	(4) 18" Airline Track Tie-Downs, (4) Attachment Rings
REAR WORK LIGHTS	Standard	Standard

FEATURES AND OPTIONS

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (flush mount only);

30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes; Color Primer Only; CTech or Stellar Drawers in Front Utility Toolboxes; Stainless Fenders



THE TOUGHEST ALUMINUM IN TRUCK EQUIPMENT



SETTING A NEW STANDARD

Whether your customers are working in the Texas heat in the oilfield or servicing the roads in the heart of a snowstorm in South Dakota, we have you covered. Our engineering team has worked hard to design an aluminum body that provides our customers with a premium, feature rich truck body to help make quick work of the toughest jobs with our 5052 Aluminum, now standard in all of our aluminum truck bodies. Amongst many gains for our users with our new aluminum flat decks, the new 5052 aluminum carries multiple advantages when compared with the industry standard of other lesser aluminum materials commonly used in flat decks.

Increased Strength

When users load heavy cargo in our aluminum bodies, they will benefit from an increase in yield and tensile strength. Yield strength is a measurement to determine the maximum stress that can be applied before permanent shape change is suffered in the aluminum material; therefore, 5052 aluminum stands prepared to withstand the wear and tear applied to it. Compared to the industry standard aluminum commonly used in aluminum flat decks, our new aluminum flat decks will have a 33% increase in strength, which directly reduces risk of damage.



STEEL AND ALUMINUM TRUCK BEDS



Harder Material

With a higher brinell hardness, the new 5052 aluminum covers customers who don't think about damaging softer material. With increased hardness, our marine grade aluminum will carry higher resistance to the wear and tear that our flat deck bodies are placed under. Furthermore, given the unpredictable elements that users expose our bodies to, we are confident that customers will not have to worry about aluminum failure due to the soft nature of aluminum.

Added Corrosion Resistance

To our customers in colder, more damp work environments, our new aluminum will withstand the road salt and sea water elements better. The new upgrade to marine grade aluminum provides our customers with maximized corrosion resistance which lowers cost of ownership of our bodies and prolongs their expected working life span.

Increased Weldability

The new 5052 aluminum is alloyed with magnesium and chromium vs the 3003 predecessor, which is alloyed with manganese. These elements increase the 5052 aluminum's strength and corrosion resistance, making the alloy ideal for marine and chemical applications.



ALTM

ALUMINUM

Engineered with our new 5052 aluminum, the ALTM offers maximized storage and our premium B&W hitches with a best-in-class look. Available with optional, custom-fitted drawers, the ALTM sets the standard for utility bodies everywhere.

FEATURES AND OPTIONS

LENGTHS	8'6", 9'4", 11'4"
HEADACHE RACK	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	Extruded Aluminum
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Aluminum Extruded Channel
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	30K lb. B&W Hitch with Welded Ball
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube

FUEL FILL	Angled
12V TRAILER PLUG	Rd 7 Pin RV Style in GN Box, Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Aluminum
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in Rear
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Aluminum
SIDESTEPS	In Front of and Behind Fender
TIE-DOWNS	(4) 18" Airline Track Tie-Downs, (4) Attachment Rings
REAR WORK LIGHTS	Standard

NOTABLE OPTIONS INCLUDE: Cargo Light (Pictured); C-Tech or Stellar Drawers in Front Utility Toolboxes; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability)



ALRS

ALUMINUM

Light on price, heavy on performance: The all-aluminum ALRS truck bed delivers maximized fuel economy, payload and corrosion resistance at an incredible value.

LENGTHS	84", 8'6", 9'4"
HEADACHE RACK	Aluminum Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	Extruded Aluminum
FRAME RAILS	4" Aluminum Channel
CROSSMEMBERS	3" Aluminum Extruded Channel
REAR SKIRT	14" Solid One Piece Square Back
GN HITCH	N/A
BP HITCH	N/A
SIDE RAILS	3/8 x 2" Aluminum Extrusion with Aluminum Stake Pockets

FUEL FILL	Angled (Cast Aluminum)
12V TRAILER PLUG	N/A
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Aluminum
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Optional Underbody

FEATURES AND OPTIONS

NOTABLE OPTIONS INCLUDE: Cargo Light; Underbody Toolbox; Wood, Rumber or Blackwood Flooring

WHEN IT COMES TO SAFETY, CM SETS THE STANDARD.



You see, we don't just want to set the standard for your business. We want you to do it while setting a standard for safety, and with our independently rated 30K lb. gooseneck and 24K lb. receiver hitches, you will be able to do just that. A lot of manufacturers say they have our tow ratings, but they are not independently rated, meaning they have not gone through the hours of rigorous testing that every single CM Truck Bed has.

Also, our headache racks feature one piece tubular headache racks, no bolts anywhere. Many other manufacturers in the industry feature bolt-on headache racks. In the event of an accident, our headache rack has been proven time and time again to save our user's lives in overturned incidents or trailers coming detached.

OUR INDUSTRY LEADING SAFETY FEATURES:

1 INDEPENDENTLY RATED
30K LB. B&W GOOSENECK HITCH

2 INDEPENDENTLY RATED
24K LB. B&W RECEIVER HITCH

3 ONE PIECE TUBULAR
HEADACHE RACK



The PL and PLS models are platform bodies with an edge, featuring the strongest, most durable materials on the market with best-in-class features to get the job done.

FEATURES AND OPTIONS

	PL	PLS
LENGTHS	9'-18' = Standard Duty 12'-24' = Heavy Duty	9'-18'
HEADACHE RACK	Formed Bulkhead with Punched Window Cutout	Bolt-On Headache Rack and Ship-Through Corners
DECK	9'-18' = 1/8" Tread Plate 12'-24" = 3/16" Tread Plate	1/8" Tread Plate
FRAME RAILS	9'-18' = 4" Structural Channel Steel 12'-24' = 8" Channel Steel	4" Structural Channel Steel
CROSSMEMBERS	9'-18' = 3" Roll-Formed Channel Steel 12'-24' = 4" Channel Steel on 12" Centers	3" Roll-Formed 3/16" Channel Steel
REAR SKIRT	One Piece Steel	One Piece Steel
GN HITCH	N/A	N/A
BP HITCH	ICC Optional	ICC Optional
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	Smooth Sides w/Internal Stake Pockets
FUEL FILL	N/A	N/A
12V TRAILER PLUG	N/A	N/A
REAR LIGHTING	N/A	N/A
LIGHT BOX (REAR SKIRT)	N/A	N/A
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	Optional Underbody	Optional Underbody

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes; Cargo Light; Color Primer Only; Front Underbody Toolbox; Stake Sides; Wood, Rubber or Blackwood Flooring





ALPL

ALUMINUM

Take uncertainty out of the equation with CM's AL PL model: Strong and durable yet lightweight and efficient, this aluminum platform body is reliable through-and-through.

FEATURES AND OPTIONS

LENGTHS	12'-18' = Standard Duty
CAB PROTECTOR	Formed Bulkhead with Punched Window Cutout
CAB PROTECTOR LIGHTING	N/A
DECK	Extruded Aluminum Floor
FRAME RAILS	4" Aluminum Channel
CROSSMEMBERS	3" Aluminum Extruded Channel
REAR SKIRT	One Piece Aluminum

GN HITCH	N/A
BP HITCH	ICC Optional
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Optional Underbody



DB

STEEL DUMP TRUCK BODY

With its sleek design, ultra-durable hardware and unsurpassed features, including a heavy-duty two-way rear gate, this rugged dump hauling body is the smart choice for professionals in construction, excavation, landscaping and beyond.

LENGTHS	9', 11'
CAB PROTECTOR	Formed Steel with Cab Protector
DECK	10-Gauge
FRAME RAILS	6" Channel Steel
CROSSMEMBERS	3" Structural Crossmembers
BP HITCH	Optional ICC Rear Bumper
SIDE RAILS	N/A

FUEL FILL	Chassis OEM
12V TRAILER PLUG	Completed at Upfit
REAR LIGHTING	Chassis OEM
LIGHT BOX (REAR SKIRT)	N/A
MARKER LIGHTING	Red
TIE-DOWNS	(4) Welded with D-Rings

FEATURES AND OPTIONS

NOTABLE OPTIONS INCLUDE: Fold-Down Sides; Tarp; Rear Work Lights; Venco Hoist; Rugby Hoist



CT

STEEL CONTRACTOR TRUCK BODY

Hard work and efficiency go hand in hand when you use our contractor body to transport your hard work to the jobsite. This body features a best-in-class material rack and fold down aluminum stake side rails for maximized cargo and access.

FEATURES AND OPTIONS

LENGTHS	9'4", 11'4"
HEADACHE RACK	Steel Tube
HEADACHE RACK LIGHTING	Clear LED Oval
DECK	1/8" Steel Tread Plate
FRAME RAILS	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel
REAR SKIRT	Solid One Piece with Rear Step
GN HITCH	NA
BP HITCH	24K lb. B&W Hitch with 2 1/2" Receiver Tube
TIE-DOWNS	(4) D-Ring Tie-Downs in Deck Area

FUEL FILL	Angled
12V TRAILER PLUG	Rd 7 Pin RV Style/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(2) 48" on 9'4", (2) 72" on 11'4"
TOOLBOX HANDLE	Chrome T-Handle Compression
MATERIAL RACK	Forklift Ready 1,500 lb. Heavy Duty Material Rack with Swinging Crossmembers
SIDE RAILS	Aluminum Fold Down Stake Sides

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; Optional Underbody Toolboxes



STEEL LANDSCAPE TRUCK BODY **LB**

With its sleek design, ultra-durable hardware and unsurpassed features, including a heavy-duty two-way rear gate, this rugged dump hauling body is the smart choice for professionals in construction, excavation, landscaping and beyond.

FEATURES AND OPTIONS

LENGTHS	10'+5'DT, 12'+5'DT, 14'+5'DT	FUEL FILL	Chassis OEM
CAB PROTECTOR	Formed Steel with Cab Protector	REAR LIGHTING	Clear LED Oval
DECK	1/8" Steel Tread Plate	REAR SKIRT	Dovetail w/Two 72" Rear Ramps
FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	2" Colored LED
CROSSMEMBERS	3" Steel Channel	TIE-DOWNS	(6) Welded with D-Rings
SIDE RAILS	CS and SS Fold Down Side Rails	DECK ACCESS LADDER	Slide Out Deck Access Ladder
		TOOLBOX STORAGE	Front Deck Spring Loaded Tool Basket with Tool Storage Holders

NOTABLE OPTIONS INCLUDE: Color Primer Only; Optional Underbody Toolbox

STEEL



MODEL	RD	SK	SK DELUXE	ER	HS	TM	TM DELUXE	TMX	PL	PLS
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	9'-18" - Standard Duty, 12'-24" - Heavy Duty	9'-18"
HEADACHE RACK	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Steel Tube	Formed Bulkhead with Punchout for Window	Bolt-On Headache Rack and Ship-Through Corners
HEADACHE RACK LIGHTING	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval w/Chrome Housing	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A	N/A
DECK	1/8" Steel Tread Plate	1/8" Steel Tread Plate	1/8" Tread Plate	1/8" Tread Plate	1/8" Tread Plate	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	9'-18" = 1/8" Tread Plate, 12'-24" = 3/16" Tread Plate	1/8" Tread Plate
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	9'-18" = 4" Structural Channel Steel, 12'-24" = 8" Channel	4" Structural Channel Steel
CROSSMEMBERS	3" Steel Channel	3" Steel Channel	3" Steel Channel	3" Steel Channel	3" Steel Channel	3" Steel Channel	3" Steel Channel	3" Steel Channel	9'-18"=3" Roll Formed Channel Steel, 12'-24" = 4" Channel	3" Steel Channel
REAR SKIRT	Solid One Piece with Tapered Corners	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece Between Runners	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	One Piece Steel	One Piece Steel
GN HITCH	30K lb. BSW Hitch w/Welded Ball in Recessed Box	30K lb. BSW Hitch w/Welded Ball in Recessed Box	30K lb. BSW Hitch w/Welded Ball in Recessed Box	30K lb. BSW Hitch w/Welded Ball in Trough	30K lb.-rated CURT Rail System Compatible with GN or 5th Wheel (Hitch Not Included)	30K lb. BSW Hitch w/Welded Ball in Recessed Box	30K lb. BSW Hitch w/Welded Ball in Recessed Box	30K lb. BSW Hitch w/Welded Ball in Recessed Box	N/A	N/A
BP HITCH	24K lb. BSW Hitch with 2 1/2" Receiver Tube	24K lb. BSW Hitch with 2 1/2" Receiver Tube	24K lb. BSW Hitch with 2 1/2" Receiver Tube	24K lb. BSW Hitch with 2 1/2" Receiver Tube	24K lb. BSW Hitch with 2 1/2" Receiver Tube	24K lb. BSW Hitch with 2 1/2" Receiver Tube	24K lb. BSW Hitch with 2 1/2" Receiver Tube	24K lb. BSW Hitch with 2 1/2" Receiver Tube	ICC optional	ICC Optional
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	Raised Side Rail with Aluminum Cap	3/8" x 2" Side Rails with Stake Pockets on Fuel Deck	N/A	N/A	N/A	3/8" x 2" Side Rails with Stake Pockets	Smooth Side Rails with Internal Stake Pockets
FUEL FILL	Angled	Angled	Angled	Angled (Cast Aluminum)	Angled	Angled	Angled	Angled	N/A	N/A
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	N/A	N/A
REAR LIGHTING	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval w/chrome housing	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A	Chassis OEM
LIGHT BOX (REAR SKIRT)	Steel	Steel	Steel	Cast Aluminum	N/A	Steel	Steel	Steel	N/A	N/A
MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED
TOOLBOX	Optional Underbody	(4) Standard Integrated	(2) Front Utility Toolboxes; (2) Rear Integrated Toolboxes	(4) Standard Integrated	(2) Integrated in Front	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in rear	Utility Box in front; Top-Open 1/2 Length Shovel Box; Tall Chain Box in rear; Possum Belly	Utility Box in front; Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in rear	Optional Underbody	Optional Underbody
TOOLBOX HANDLE	N/A	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	N/A	N/A
FENDERS	N/A	Steel Radius	Steel Radius	Chrome Radius	Molded Plastic with Steel Hanger Bars	Steel Radius	Steel Radius	Steel Radius	N/A	N/A
SIDE STEPS	N/A	In Front of and Behind Fender	In Front of and Behind Fender	In Front of and Behind Fender	N/A	In Front of and Behind Fender	In Front of and Behind Fender	In Front of and Behind Fender	N/A	N/A
TIE-DOWNS	N/A	N/A	N/A	(4) 18" Airline Track Tie-Downs (2) Attachment Rings	N/A	(4) 18" Airline Track Tie-Downs (2) Attachment Rings	(4) 18" Airline Track Tie-Downs (4) Attachment Rings	(4) 18" Airline Track Tie-Downs, (4) Attachment Rings	N/A	N/A
ADDITIONAL FEATURES	Drop-in Side Rails Optional	Drop-in Side Rails Optional	Drop-in Side Rails Optional	Trough in Center for Convenient Hookup	Cargo Light	Rear Tailgate with Paddle Latch; Rear Work Lights	Rear Tailgate with Paddle Latch; Rear Work Lights	Rear Tailgate with Paddle Latch; Rear Work Lights	Optional HD Package Optional ICC Bumper Optional Stake Sides	Optional ICC Bumper Optional Stake Sides



STEEL AND ALUMINUM TRUCK BEDS

ALUMINUM



CT	DB	CMG	AL RD	AL SK	AL SK DELUXE	AL ER	AL TM	AL PL ALL ALUMINUM	CMA
9'4", 11'4"	9', 11'	7'6", 8'1", 8'2", 9'8", 11'0", 13'4"	8'4", 8'6", 9'4", 11'4"	8'4", 8'6", 9'4", 11'4"	8'4", 8'6", 9'4", 11'4"	8'4", 8'6", 9'4", 11'4"	8'6", 9'4", 11'4"	12'-18" = Standard Duty	7'6", 8'1", 8'2", 9'8", 11'0", 13'4"
Steel Tube	Formed Steel with Cab Protector	Optional	Aluminum Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube	Formed Bulkhead with Punched Window Cutout	Optional
Clear LED Oval	N/A	N/A	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A	N/A
1/8" Tread Plate	10-Gauge	12 Gauge Galvanneal Steel with Spray-On Bed Liner	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	3/16" Aluminum Deck with Black Lava Coating
4" Structural Channel Steel	6" Structural Channel Steel	Bed Delete - 12 Gauge Cab Chassis - 10 Gauge	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	3/16" Aluminum
3" Steel Channel	3" Structural Channel	Bed Delete - 12 Gauge Cab Chassis - 10 Gauge	3" Aluminum Extruded Channel	3" Aluminum Extruded Channel	3" Aluminum Extruded Channel	3" Aluminum Extruded Channel	3" Aluminum Extruded Channel	3" Aluminum Extruded Channel	3/16" Aluminum
Solid One Piece with Tapered Corners and Rear Step	N/A	N/A	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	One Piece Aluminum	N/A
N/A	N/A	N/A	30K lb. B&W Hitch w/Welded Ball in Recessed Box	30K lb. B&W Hitch w/Welded Ball in Recessed Box	30K lb. B&W Hitch w/Welded Ball in Recessed Box	30K lb. B&W Hitch in Trough	30K lb. B&W Hitch w/Welded Ball in Recessed Box	N/A	N/A
24K lb. B&W Hitch with 2 1/2" Receiver Tube	Optional ICC Rear Bumper	Optional Bolt-On (Cab Chassis)	24K lb. B&W Hitch with 2 1/2" Receiver Tube	24K lb. B&W Hitch with 2 1/2" Receiver Tube	24K lb. B&W Hitch with 2 1/2" Receiver Tube	24K lb. B&W Hitch with 2 1/2" Receiver Tube	24K lb. B&W Hitch with 2 1/2" Receiver Tube	ICC Optional	Optional Bolt-On (Cab Chassis)
Aluminum Fold Down Stake Sides	N/A	N/A	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	N/A	3/8" x 2" Side Rails with Stake Pockets	N/A
Angled	Chassis OEM	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	N/A	Angled (Cast Aluminum)
Round 7 Pin/4 Way Flat on Rear	Completed at Uplift	N/A	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in Gn Box, Round 7 Pin/4 Way Flat on Rear	N/A	N/A
Clear LED Oval	Chassis OEM	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval with Chrome Housing	Clear LED Oval	Chassis OEM	Clear LED Oval
Inside Skirt	N/A	N/A	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)	N/A	N/A
Bullet DOT Approved LED	2" Red	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved LED	Bullet DOT Approved
Standard Front Toolboxes	N/A	(6/8) Standard Integrated	Optional Underbody	(4) Standard Integrated	(2) Front Utility Toolboxes; (2) Rear Integrated Toolboxes	(4) Standard Integrated	Utility Box in Front, Top-Open 3/4 Length Shovel Box, Low-Profile Chain Box in Rear	Optional Underbody	(6/8) Standard Integrated
Chrome T-Handle Compression	N/A	Chrome T-Handle Compression	N/A	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	Chrome T-Handle Compression	N/A	Chrome T-Handle Compression
N/A	N/A	Polished Aluminum Trim	N/A	Aluminum Radius	Aluminum Radius	Chrome Radius	Aluminum Radius	N/A	Polished Aluminum Trim
N/A	N/A	N/A	N/A	Aluminum Steps in Front of and Behind Fender	Aluminum Steps in Front of and Behind Fender	Aluminum Steps in Front of and Behind Fender	Aluminum Steps in Front of and Behind Fender	N/A	N/A
(4) Welded in D-Rings	(4) Welded in D-Rings	(4) Tie-Down Loops	N/A	N/A	N/A	(4) 18" Airline Track Tie-Downs (2) Attachment Rings	(4) 18" Airline Track Tie-Downs (2) Attachment Rings	N/A	(4) Tie-Down Loops
Aluminum Fold Down Sides; Material Rack	Bolt-on Hoist Subframe and Install Kit Rigid or Fold-Down Sides	N/A	Drop-in Aluminum Side Rails (Optional)	Drop-in Aluminum Side Rails (Optional)	Drop-in Aluminum Side Rails (Optional)	Trough in Center	Rear Tailgate with Paddle Latch	Optional ICC Bumper, Aluminum Stake Sides	N/A

VERSATILITY FOR EVERY BODY

CM TRUCK BEDS SERVICE BODIES ARE THE MOST VERSATILE ON THE MARKET TODAY. WHATEVER THE APPLICATION, CM HAS THE RIGHT SERVICE BODY AVAILABLE AND READY TO BE DELIVERED FASTER THAN ANY BODY. COMPONENT-STYLE CONFIGURATIONS ALLOW FOR EASY CUSTOMIZATION, AND THE BEST WARRANTY IN THE INDUSTRY ENSURES YEARS OF RELIABLE USE.

COMPONENT-STYLE CONFIGURATION

Go ahead, put our products through the wringer: Unlike many in the industry, our component bodies are huck fastened together, which makes repair and maintenance far easier. Need a different configuration? Customization is as simple as unbolting the part you want to change.



DURABLE AUTOMOTIVE GRADE PAINT

CM Truck Beds coats every service body we make with a two stage paint process. Using the highest quality paint, we go under every edge and cover every crevice to ensure your service body is protected. This superior finish also adds a shine that will last for many years.

GAS CYLINDER DOOR SHOCKS

We don't use simple springs, we use the finest gas shocks on the market today. Even when your hands are full, our gas shocks allow you to easily open and close our doors.



HEAVY-DUTY REAR TAILGATES

All Service Bodies from CM Truck Beds feature tailgates that are tough enough to keep materials inside the deck where they belong. Need to step to get in a bed? No problem: These tailgates are rated at over 400 pounds, supporting even the largest operators to gain access.



DECKS

Our best-in-class steel decks provide a solid foundation for ensuring our bodies will live up to the rigorous expectations of our customers. We not only start with a strong deck, but also coat it with our super-durable spray on bed liner, which enhances the overall performance of our Service Bodies.



**6 YEARS
NO RUST THROUGH
GUARANTEE**

CMG

CONVERTIBLE SERVICE BODY
CM Truck Beds' CMG model is America's ultimate utility Service Body. Often copied, the CMG is unparalleled in quality, with long-lasting hardware and remarkable durability.

LENGTHS	76", 81", 82", 98", 110", 134"
HEADACHE RACK	Optional
HEADACHE RACK LIGHTING	N/A
DECK	12 Gauge Galvanneal Steel with Spray on Bed Liner
FRAME RAILS	Bed Delete - 12 Gauge, Cab Chassis - 10 Gauge
CROSSMEMBERS	Bed Delete - 12 Gauge, Cab Chassis - 10 Gauge
BP HITCH	Optional Bolt-on (Cab Chassis)

FUEL FILL	Angled Cast
REAR LIGHTING	Clear LED Oval
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(6/8) Standard Integrated Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Polished Aluminum Trim
TIE-DOWNS	(4) Tie-Down Loops
SIDE PACK TOPS	Aluminum Tread Plate

FEATURES AND OPTIONS

NOTABLE OPTIONS INCLUDE: Flip-Top Side Pack Compartments; Steel White Tops; Pistol Grip Masterlocks; Material Rack; C-Tech or Stellar Drawers in Toolboxes; Headache Rack; Remote Control T-Handle Compression E-Lock Latches



CMA

ALUMINUM CONVERTIBLE SERVICE BODY

CM Truck Beds' CMA model is America's ultimate utility Service Body. Often copied, the CMA is unparalleled in quality, with long-lasting hardware and remarkable durability.



10 YEARS
NO CORROSION
GUARANTEE

FEATURES AND OPTIONS

LENGTHS	76", 81", 82", 98", 110", 134"
HEADACHE RACK	Optional
HEADACHE RACK LIGHTING	N/A
DECK	3/16" Aluminum Deck with Black Lava Coating
FRAME RAILS	3/16" Aluminum
CROSSMEMBERS	3/16" Aluminum
BP HITCH	Optional Bolt-on (Cab Chassis)

FUEL FILL	Angled Cast
REAR LIGHTING	Clear LED Oval
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(6/8) Standard Integrated Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Polished Aluminum Trim
TIE-DOWNS	(4) Tie-Down Loops
SIDE PACK TOPS	Aluminum Tread Plate

NOTABLE OPTIONS INCLUDE: Flip-Top Sidepack Compartments; Remote Control T-Handle Compression E-Lock Latches; Pistol Grip Masterlocks; Material Rack; CTech or Stellar Drawers in Toolboxes; Headache Rack;



STAINLESS STEEL

T-HANDLE COMPRESSION LATCHES

Not only do we have the best toolbox doors in the industry, we help you seal them with a two-step compression latch. This ensures you can work with confidence that your tools will not be exposed to the elements. Operators will also know with ease, if their doors are secure.



OPTIONAL B&W HITCHES

At CM, we are committed to towing safety, that's why we have designed our hitches in conjunction with B&W Trailer Hitches to ensure that your trailers are towed safely with higher capacities than any other service body on the market. We know that our customers demand high tow ratings, so we have a solution that will meet the needs of our commercial customers.



OPTIONAL FLIP-TOP SIDE PACK COMPARTMENTS

At CM Truck Beds, we know that our customers like to be organized. With that in mind, we have designed a better solution to organization, easy to add aftermarket and made out of aluminum so that they will not corrode like most service bodies on the market today.

BEST-IN-CLASS FEATURES



THREE PIECE DOORS WITH D-BULB WEATHER-STRIPPING

Toolboxes carry a worker's best friend: his tools. To protect them, our toolbox doors feature heavy-duty T-handle compression latches, and are sealed with automotive D-bulb weather-stripping to ensure that no moisture gains entry. So your tools are not only safe, but also safely out of the elements.



LED REAR LIGHTING WITH WIRING HARNESS

When safety counts, count on CM Truck Beds to take care of you. We utilize the safest, easiest-to-maintain lights available. LED lights are brighter, light up instantaneously, and make for easier maintenance.




OPTIONAL STEEL SMOOTH TOP SIDE PACKS

If you're looking to mount those extra accessories to your CMG Convertible Service Body, the most customizable service body in the industry will be ready for you. With a factory direct order, you can add steel white tops to your service body - allowing you to mount your compressors, welders, and any other tools you need in the field.

SERVICE BODY CONFIGURATIONS

With an array of sizes and configurations to choose from, there's a CM Truck Beds Service Body designed to meet the specific needs of your industry and your fleet.

**DON'T ADJUST TO YOUR BODY.
MAKE YOUR BODY ADJUST TO YOU.**




Chassis Style	C.A.	A	B	C
98SW	56"	78"	49 1/4"	14 1/4"
98DW	56"	94"	49 1/4"	22 1/4"
110SW	60"	78"	49 1/4"	14 1/4"
110DW	60"	94"	49 1/4"	22 1/4"
134DW	84"	94"	49 1/4"	22 1/4"

SW - Single Wheel | DW - Dual Wheel




SERVICE BODY CONFIGURATIONS



V CONFIGURATION (V98 & V110)

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: Open with "Pass-Through" to rear vertical
- Rear Vertical: One adjustable shelf with two adjustable dividers



V CONFIGURATION (V133)

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- 2nd Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: Open with "Pass-Through" to rear vertical
- Rear Vertical: One adjustable shelf with two adjustable dividers



SBC STEEL REINFORCED CRANE BODY

This reinforced crane body combines the great features of our service body with a structure robust enough to lift the heavy loads. Not only is it tough, but it has the eye appeal that many of our fleet and commercial customers desire in their fleets.



6 YEARS
NO RUST THROUGH
GUARANTEE

FEATURES AND OPTIONS

LENGTHS	98", 110", 134"
HEADACHE RACK	Optional
HEADACHE RACK LIGHTING	N/A
DECK	12 Gauge Galvanneal Steel with Spray on Bed Liner
FRAME RAILS	2" x 6" x 3/16" Tubing
CROSSMEMBERS	2" x 6" x 1/4" Tubing
BP HITCH	Optional Bolt-on (Cab Chassis)

FUEL FILL	Angled Cast
REAR LIGHTING	LED Combination Flush Mount Light
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	(6/8) Standard Integrated Toolboxes
TOOLBOX HANDLE	Chrome T-Handle Compression
FENDERS	Polished Aluminum Trim
TIE-DOWNS	(4) Tie-Down Loops
SIDE PACK TOPS	12 Gauge Steel White Tops

NOTABLE OPTIONS INCLUDE: CTech Drawers; Stellar Drawer Systems; Headache Rack; Remote Control T-Handle Compression E-Lock Latches; Auto Crane System; Tiger Crane System; Venco Crane System



WHAT PART NUMBER IS RIGHT FOR YOU?

Be confident when you're ordering a CM Truck Bed that you're getting the right bed for the right truck.

- Truck bed parts # is listed below for the corresponding truck model. If no part # is listed, the truck bed is not available for this truck model.

Truck	RD	SK	ER	TM	TMX	TMDLX	CT	DB	ALRD	ALSK	ALER	CMG	CMA
GM SW LB	RD-01843842	SK-01844242	ER-01824242		TMX-01844242				ALRD-01843842	ALSK-01844242	ALER-01844242	CMG8178	CMA8178
Ram SW SB	RD-01843842	SK-01843842	ER-01823842						ALRD-01843842	ALSK-01843842	ALER-01843842	CMG7678	CMA7678
Ford SW SB 2017 to Present	RD-01843842	SK-01844042	ER-01824042		TMX-01844042				ALRD-01843842	ALSK-01844042	ALER-01844042	CMG8278	CMA8278
Ford SW SB 2016 & Before	RD--01844038	SK-01844038	ER-01824038		TMX-01844038				ALRD-01844038	ALSK-01844038	ALER-01844038	CMG8278	CMA8278
Ram DW MEGA	RD-01973842	SK-01973842	ER-01973842						ALRD-01973842	ALSK-01973842	ALER-01973842		
GM SW LB	RD-02845842	SK-02845642	ER-02825642		TMX-02845642				ALRD-02845842	ALSK-02845642	ALER-02845642	CMG9878	CMA9878
Ram SW LB	RD-02845842	SK-02845842	ER-02824842		TMX-02845842				ALRD-02845842	ALSK-02845842	ALER-02845842	CMG9878	CMA9878
Ford SW LB 2017 to 2021	RD-02845842	SK-02845842	ER-02825842		TMX-02845842				ALRD-02845842	ALSK-02845842	ALER-02845842	CMG9878	CMA9878
Ford/Ram SW LB 2022 to Present	RD-02845842	SK-02845742	ER-02825742		TMX-02845742				ALRD-02845742	ALSK-02845742	ALER-02845742	CMG9878	CMA9878
Ford SW LB 2016 & Before	RD-02845638	SK-02845638	ER-02825638		TMX-02845638				ALRD-02845638	ALSK-02845638	ALER-02845638	CMG9878	CMA9878
GM DW LB	RD-02975842	SK-02975642	ER-02975642*	TM-02975642		TM-02975642DLX			ALRD-02975642	ALSK-02975642	ALER-02975642	CMG9894	CMA9894
Ram DW LB	RD-02975842	SK-02975842	ER-02945842	TM-02975842		TM-02975842DLX			ALRD-02975842	ALSK-02975842	ALER-02975842	CMG9894	CMA9894
Ford DW LB 2017 to 2021	RD-02975842	SK-02975842	ER-02975842SD	TM-02975842SD		TM-02975842SD-DLX			ALRD-02975842	ALSK-02975842	ALER-02975842	CMG9894	CMA9894
Ford/Ram DW LB 2022 & After	RD-02975842	SK-02975742	ER-02975742	TM-02975742		TM-02975742DLX				ALSK-02975742	ALER-02975742	CMG9894	CMA9894
Ford DW LB 2016 & Before	RD-02975638	SK-02975638	ER-02975638	TM-02975638		TM-02975638DLX			ALRD-02975638	ALSK-02975638	ALER-02975638	CMG9894	CMA9894
Ford/Ram 60" DW CC	RD-03946034SD	SK-03946034SD	ER-03946034SD	TM-03946034SD		TM-03946034SDDLX	CT-03976034	CMU-9	ALRD-03976034SD	ALSK-03946034SD	ALER-03946034SD	CMG11094	CMA11094
Ford/RAM/GM 60" SW CC	RD-03846034SD	SK-03846034SD	ER-03826034SD		TMX-03846034SD				ALRD-03846034SD	ALSK-03846034SD	ALER-03846034SD	CMG11078	CMA11078
Ford/Ram 84" DW CC	RD-04978434SD	SK-04948434SD	ER-04948434SD	TM-04948434SD		TM-04948434SD-DLX	CT-04978434	CMU-11	ALRD-04978434SD	ALSK-04948434SD	ALER-04948434SD	CMG13394	CMA13394
GM 60" DW Med Duty SD	RD-03976034SD	SK-03976034GMSD	ER-03976034GMSD	TM-03976034GMSD		TM-03976034GMSD-DLX	CT-03976034	CMU-9				CMG11094	CMA11094
GM 84" DW Med Duty SD	RD-04978434GMSD	SK-04978434GMSD	ER-04978434GMSD	TM-04978434GMSD		TM-04978434GMSD-DLX	CT-04978434	CMU-11				CMG13394	CMA13394

• **SPECIAL OPTIONAL SIZES AVAILABLE FOR THIS TRUCK & BODY COMBINATION, SEE NEXT PAGE FOR DETAILS.**

If you do not see your truck or chassis, call our sales team to help find the correct parts number for your truck.

CM TRUCK BEDS OUTFITTING GUIDE

FORD		LENGTH	WIDTH	CAB-TO-AXLE	RUNNERS
1998-2016	Single Wheel Short Wheel Base	84"	84"	40"	38"
	Single Wheel Long Wheel Base	86"	84"	56"	38"
	Dually	86"	97"	56"	38"
2017 - 2021	Single Wheel Short Wheel Base	84"	84"	40"	42"
	Single Wheel Long Wheel Base	86"	84"	58"	42"
	Dually	86"	97"	58"	42"
2022 - Present	Single Wheel Short Wheel Base	84"	84"	40"	42"
	Single Wheel Long Wheel Base	86"	84"	57"	42"
	Dually	86"	97"	57"	42"
All Model Years	Cab & Chassis (60" C/A)	94"	97" ●	60"	34"
	Cab & Chassis (84" C/A)	114"	97" ●	84"	34"
	Single Wheel Cab & Chassis	94"	84" ●	60"	34"

● When ordering the SK model, use 94" width

RAM		LENGTH	WIDTH	CAB-TO-AXLE	RUNNERS
1998-2002	Single Wheel Short Wheel Base	84"	84"	40"	38"
	Single Wheel Long Wheel Base	86"	84"	56"	38"
	Dually	86"	97"	56"	38"
2003-2021	Single Wheel Short Wheel Base	84"	84"	38"	42"
	Single Wheel Long Wheel Base	86"	84"	58"	42"
	Dually	86"	97"	58"	42"
	Mega Cab Dually	84"	97"	38"	42"
2022 - Present	Single Wheel Short Wheel Base	84"	84"	38"	42"
	Single Wheel Long Wheel Base	86"	84"	57"	42"
	Dually	86"	97"	57"	42"
	Mega Cab Dually	84"	97"	38"	42"
All Model Years	Cab & Chassis (60" C/A)	94"	97" ●	60"	34"
	Cab & Chassis (84" C/A)	114"	97" ●	84"	34"
	Single Wheel Cab & Chassis	94"	84"	60"	34"

● When ordering the SK model, use 94" width

GENERAL MOTORS		LENGTH	WIDTH	CAB-TO-AXLE	RUNNERS
2000-Present	Single Wheel Short Wheel Base	84"	84"	42"	42"
	Single Wheel Long Wheel Base	86"	84"	56"	42"
	Dually	86"	97"	56"	42"
	Dual Wheel 60" CA Cab & Chassis	94"	97" ●	60"	34"
	Dual Wheel 84" CA Cab & Chassis	114"	97" ●	84"	34"

● When ordering the SK model, use 92" or 94" width

CM

TRUCK BEDS®



BUILT FOR YOUR SUCCESS. Since 1990, CM Truck Beds has offered a wide range of feature-rich, work-ready products built to withstand the test of time and deliver the ultimate in value. Headquartered in Kingston, Oklahoma, CM Truck Beds has over 350,000 square feet of manufacturing and employs more than 450 experienced laborers and sales associates. We're proud to be the leader in flat-bed truck bodies, and we're dedicated to providing the solutions you need to get the job done.

When searching for a dependable and good-looking truck body that will help on the job site, down the road, or on the ranch, look no further than CM Truck Beds. Our field-tested products fit not only the vehicles they connect with but also the customers who use them, day in and day out. We utilize category-leading hitches, toolbox latches, and headache racks in addition to offering the toughest steel and aluminum beds and service bodies on the market.

Additionally, our strong network includes more than 300 distributors across North America who specialize in aftermarket upfit and installation. Count on superior product quality, large on-hand inventory, and attention to detail throughout the upfitting process. It's this dedication to providing real-world solutions that makes CM Truck Beds the go-to source for hardworking professionals.



833-268-7825 | [CMTRUCKBEDS.COM](https://www.cmtruckbeds.com)